The MAXLINER logo is positioned in the top right corner of the image. It features the brand name in a bold, sans-serif font, with a registered trademark symbol. The background of the entire page is a photograph of the interior of a MAXLINER CIPP lining trailer. The trailer is a mobile unit with white walls and a metal floor. Large rolls of white CIPP liner are mounted on the left wall. Various pieces of equipment, including a resin mixing system and a pump, are visible on the right. The overall scene is well-lit, showing the organized interior of the trailer.

MAXLINER®

# MAXLINER® SMALL DIAMETER CIPP LINING TRAILER

TURN-KEY EQUIPMENT, LINER AND RESIN SYSTEM FOR  
TOTAL LATERAL AND VERTICAL PIPE REHABILITATION

## FEATURING:

- INSTALLATION EQUIPMENT
- RESINS
- LINERS



## Get MORE out of a MaxLiner® Trailer

Delivering proven lateral and vertical pipe rehabilitation products and equipment for **more than 20 years**, the MaxLiner Small diameter CIPP Lining Trailer is the latest addition to the extensive line-up of MaxLiner equipment. Choose from a 18', 21' or 24' trailer custom-built and **MAX'd out to your specifications.**



*Plenty of storage and counter space for prep and lining*

### TYPICAL TRAILER PACKAGE

| QTY. | DESCRIPTION                                                               |
|------|---------------------------------------------------------------------------|
| 1    | 6000 Diesel Generator                                                     |
| 2    | 7000# Torsion Axles                                                       |
| 1    | Rubber Tread Plate Flooring                                               |
| 1    | Covered And Insulated Walls And Ceiling                                   |
| 2    | 13500 BTU Roof Mounted AC                                                 |
| 3    | 36" Charcoal Overheads                                                    |
| 6    | Chrome Led Ceiling Mounted Lights                                         |
| 10   | 110v Electrical Outlets with Covers                                       |
| 2    | 12v Black USB Charging Stations                                           |
| 1    | 120 Air Forced Heater 1-50 Amp Converter Charger with Shore Plug and Cord |
| 1    | Counter Top Curbside (See Print)                                          |
| 1    | Ez Stak 5 Drawer Tool Cabinet (Front Curbside 35 Tall)                    |
| 1    | Wireless Rear Back Up Camera                                              |
| 1    | Led Directional Arrow Board                                               |
| 1    | 100 Amp Roof Mounted Charging Kit                                         |
| 3    | Counter Top Street Side (Fold Up)                                         |
| 1    | Face Fronts                                                               |
| 1    | Ramp Door                                                                 |
| 1    | Radio with 2 Speakers                                                     |
| 1    | High Vis Strobe Kit Front And Sides                                       |
| 2    | Rear Mounted Led Flood Lights                                             |
| 1    | CO <sub>2</sub> Detector                                                  |
| 1    | Fire Extinguisher                                                         |
| 1    | Hanging Curtain                                                           |
| 1    | Shocker Hitch                                                             |
| 1    | Brushed Stainless (Front Wall, Curbside)                                  |

## MAXLINER CIPP LINING SYSTEM



*Built in tie-downs to lock down your drums*



*Mountable back-up camera*



*Hinged counters provide more storage and hauling space*



*E-Roller with grip coated brushless rollers, digital counter and foot pedal controller*



*Commercial grade Cummins® ONAN generator*



*Non-slip flooring, built-in AC and plenty of LED lighting*



*Plenty of drawer space for 655 piece tool set*



*Ample overhead storage  
with locking cabinets*




*Stainless steel surface for easy clean-up*



*Under counter, secure storage space for resin*

## MAXLINER SMALL DIAMETER LINING SOLUTIONS

MaxLiner offers a broad range of liners, manufactured by United Felts, for just about every pipe condition lengths. Liners come in approx. 165 LF | 50 m or 330 LF | 100 m rolls. Contact MaxLiner customer service for custom sizing orders and sewn transitional liners.



### ■ MAX SCRIM LINER | 3"-12" (AVAILABLE IN PU AND PVC)

Non-woven, needle-punched polyester fiber felt with PU coating. There is a 100% continuous polyester reinforcement filament (SCRIM) integrated into the fabric to limit longitudinal stretch during installation. Ideal for straight shots, can be used around bends up to 45°.

#### Applications:

- For landing the liner at a definitive point and straight piping applications
- Sweeping bends up to 45°
- Open-End (Blindshot) with Calibration Tube
- Closed-End
- PVC option is Compatible with MaxPox VE

### ■ MAX LINERTUBE™ | 3"-12" (AVAILABLE IN PU AND PVC)

Non-woven, needle-punched polyester fiber felt offered with PU coating designed for sweeping bends and very minimal stretch.

#### Applications:

- Open-End (Blindshot) with Calibration Tube
- Closed-End
- Straight piping applications with minimal stretch
- Sweeping bends up to 45°

### ■ MAX FLEXLINER™ | 4" - 6"

Non-woven, needle-punched polyester fiber felt with a PVC coating. Available with either a stitched skived seam or an overlocking chain stitched sewn process.

#### Applications:

- Open-End (Blindshot) with Calibration Tube
- Closed-End
- Straight piping applications with minimal stretch
- May be used on sweeping bends up to 45°
- Compatible with MaxPox VE

### ■ MAX CLEAR™ (FORMERLY GHOSTLINER®) | 3"-12"

A clear flexible, single- or double-layer liner manufactured with synthetic fibers and a flexible TPU coating. Designed to maximize LED light curing speeds up to 40%.

#### Applications:

- Ideal for LED light cure
- Open-End (Blindshot) with Calibration Tube
- Closed-End
- Ideal for straight piping applications with minimal stretch
- May be used on sweeping bends up to 45°
- Not compatible with Styrene

### ■ MAX WOVOLASS® | 3"-8"

An ultra-flexible liner, uniquely bonded to a seamless impermeable PU coating. The circular-knitted construction of polyester and extensible fiberglass reinforcement makes it ideal for transitioning several pipe diameters and lining around multiple bends up to 90°.

#### Applications:

- Open-End (Blindshot) with Calibration Tube
- Close-End
- Pull-in-Place
- Transitioning sizes/change in several diameters
- 3x's stronger than traditional lateral liners

### ■ MAX WOVVOX® | 2"-6"

An ultra-flexible liner, uniquely bonded to a seamless impermeable PU coating. The circular-knitted construction of polyester and extensible fiberglass reinforcement makes it ideal for transitioning several pipe diameters and lining around multiple bends up to 90°.

#### Applications:

- Open-End (Blindshot) with Calibration Tube
- Close-End
- Pull-in-Place
- Transitioning sizes / change in several diameters

### ■ MAX WOVOLINER™ | 3"-8"

An ultra-flexible liner bonded to a seamless impermeable PU coating. The circular-knitted construction of polyester and elastomeric yarns makes it ideal for lining around multiple bends up to 90°.

#### Applications:

- Open-End (Blindshot) with Calibration Tube
- Close-End
- Pull-in-Place

### ■ MAX FLEX 4D™ | 3"-10"

Non-woven, needle punched PE felt liner with an elastic PU coating. Capable of transitioning up to four diameters (4D) while maintaining finished thickness and negotiating bends up to 90°.

#### Applications:

- Open-End (Blindshot) with Calibration Tube
- Closed-End
- For transitioning sizes / change in diameter
- May be used on sweeping bends up to 90° with slight wrinkling

### ■ MAX SUPERFLEX™ | 2"-12"

Non-woven, needle punched PE felt liner with an elastic PU coating. capable of navigating multiple bends up to 90° and single-diameter transitions.

#### Applications:

- Open-End (Blindshot) with Calibration Tube
- Closed-End
- Pull-in-Place
- Compatible with MaxPox VE

MAXLINER®



(877) 426-5948

7606 WHITEHALL EXECUTIVE CENTER DR.

SUITE 400

CHARLOTTE, NC 28273

[WWW.MAXLINERUSA.COM](http://WWW.MAXLINERUSA.COM)